

# Vintessential YAN Calibration Standards for Discrete Autoanalysers, PAAN Standard 3

#### **Vintessential Laboratories**

Chemwatch Hazard Alert Code: 0

Chemwatch: **52-9348** Version No: **3.1.1.1** 

Issue Date: 01/23/2018 Print Date: 10/23/2019 L.GHS.AUS.EN

Safety Data Sheet according to WHS and ADG requirements

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

## **Product Identifier**

Product name Vintessential YAN Calibration Standards for Discrete Autoanalysers, PAAN Standard 3		
Chemical Name	water	
Synonyms	Not Available	
Other means of identification	Not Available	

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use according to manufacturer's directions.

General laboratory reagent. Used for measuring Primary Amino Acid Nitrogen in grape juice and wines.

## Details of the supplier of the safety data sheet

Registered company name	Vintessential Laboratories	Acorn Scientific	
Address	32 BRASSER AVENUE DROMANA VIC 3936 Australia	Unit M, 61 Hugo Johnston Drive Penrose Auckland 1061 New Zealand	
Telephone	+61 3 5987 2242	+64 9 263 0964	
Fax	+61 3 5987 3303	Not Available	
Website	Not Available	Not Available	
Email Not Available		info@acornsci.com	

### **Emergency telephone number**

Association / Organisation	Poisons Information Centre	NZ Poisons Centre	
Emergency telephone numbers 13 11 26  Other emergency telephone numbers Not Available		+64 800 764 766	
		Not Available	

### **SECTION 2 HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification [1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

### Label elements

Hazard pictogram(s)



SIGNAL WORD

WARNING

## Hazard statement(s)

H315

Causes skin irritation

Chemwatch: **52-9348**Version No: **3.1.1.1** 

## Vintessential YAN Calibration Standards for Discrete Autoanalysers, PAAN Standard 3

Issue Date: 01/23/2018 Print Date: 10/23/2019

H319 Causes serious eye irritation.

## Precautionary statement(s) Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary statement(s) Response

P321	Specific treatment (see advice on this label).		
P362	Take off contaminated clothing and wash before reuse.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P332+P313 If skin irritation occurs: Get medical advice/attention.			

## Precautionary statement(s) Storage

Not Applicable

## Precautionary statement(s) Disposal

Not Applicable

## **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name	
Not Available	balance	Ingredients determined not to be hazardous	
7732-18-5	60-100	water	

## **SECTION 4 FIRST AID MEASURES**

## Description of first aid measures

Eye Contact	► Generally not applicable.
Skin Contact	► Generally not applicable.
Inhalation	► Generally not applicable.
Ingestion	► Generally not applicable.

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 FIREFIGHTING MEASURES**

## Extinguishing media

► Generally not applicable.

### Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.			
Advice for firefighters				
Fire Fighting	► Generally not applicable.			
Fire/Explosion Hazard	► Generally not applicable.			
HAZCHEM	Not Applicable			

### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

	• •
Minor Spills	Clean up all spills immediately.
Major Spills	Clean up all spills immediately.

Issue Date: 01/23/2018 Print Date: 10/23/2019

## **SECTION 7 HANDLING AND STORAGE**

#### Precautions for safe handling

Safe handling	► Generally not applicable. Avoid prolonged skin contact.
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry, well-ventilated area.</li> <li>Store away from incompatible materials and foodstuff containers.</li> <li>Protect containers against physical damage and check regularly for leaks.</li> <li>Observe manufacturer's storage and handling recommendations contained within this SDS.</li> </ul>

## Conditions for safe storage, including any incompatibilities

Suitable container	Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

#### **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **Control parameters**

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

Not Available

#### **EMERGENCY LIMITS**

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Vintessential YAN Calibration Standards for Discrete Autoanalysers, PAAN Standard 3	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH  Not Available		Revised IDLH	
water			Not Available	

## MATERIAL DATA

No exposure limits set by NOHSC or ACGIH

### **Exposure controls**

Appropriate engineering controls	► Generally not applicable.
Personal protection	
Eye and face protection	► Generally not applicable.
Skin protection	See Hand protection below
Hands/feet protection	► Generally not applicable.
Body protection	See Other protection below
Other protection	► Generally not applicable.

## Recommended material(s)

## GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Vintessential YAN Calibration Standards for Discrete Autoanalysers, PAAN Standard 3

Material	СРІ
BUTYL	С
NATURAL RUBBER	С
NEOPRENE	С
PVA	С
VITON	С

\* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

**NOTE**: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

## Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	-AUS / Class1 P2	-
up to 50	1000	-	-AUS / Class 1 P2
up to 50	5000	Airline *	-
up to 100	5000	-	-2 P2
up to 100	10000	-	-3 P2
100+			Airline**

<sup>\* -</sup> Continuous Flow \*\* - Continuous-flow or positive pressure demand

Chemwatch: **52-9348**Version No: **3.1.1.1** 

## Vintessential YAN Calibration Standards for Discrete Autoanalysers, PAAN Standard 3

Issue Date: **01/23/2018**Print Date: **10/23/2019** 

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Generally not applicable.

## **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance	Clear liquid; miscible with water.		
Physical state	Liquid	Relative density (Water = 1)	1.0
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	3.0	Decomposition temperature	Not Applicable
Melting point / freezing point (°C)	0	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	100
Vapour pressure (kPa)	2.33 @ 20 degC.	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

## **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

## **SECTION 11 TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

Inhaled	► Generally not applicable.		
Ingestion	► Generally not applicable.		
Skin Contact	► Generally not applicable.		
Eye	► Generally not applicable.		
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.		
Vintessential YAN Calibration Standards for Discrete	TOXICITY	IRRITATION	
Autoanalysers, PAAN Standard 3	Not Available	Not Available	
	TOXICITY	IRRITATION	
water	Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup>	Not Available	
Legend:	Nalue obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		

Vintessential YAN Calibration Standards for Discrete Autoanalysers, PAAN Standard 3 & WATER

No significant acute toxicological data identified in literature search.

**Acute Toxicity** 

.

Carcinogenicity

Version No: **3.1.1.1** 

## Vintessential YAN Calibration Standards for Discrete Autoanalysers, PAAN Standard 3

Issue Date: 01/23/2018 Print Date: 10/23/2019

			1
Skin Irritation/Corrosion	<b>✓</b>	Reproductivity	×
Serious Eye Damage/Irritation	<b>*</b>	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

X − Data either not available or does not fill the criteria for classification
 ✓ − Data available to make classification

## **SECTION 12 ECOLOGICAL INFORMATION**

#### Toxicity

Vintessential YAN Calibration Standards for Discrete Autoanalysers, PAAN Standard 3	Not Available	TEST DURATION (HR)  Not Available	SPECIES  Not Available	Not Not Available Available
water	ENDPOINT LC50 EC50	TEST DURATION (HR) 96 96	SPECIES Fish Algae or other aquatic plants	VALUE SOURCE 897.520mg/L 3 8768.874mg/L 3
Legend:	Extracted from	1. IUCLID Toxicity Data 2. Europe ECHA Regist	ered Substances - Ecotoxicological Inform	nation - Aquatic Toxicity 3. EPIWIN Su

Legen

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

## Bioaccumulative potential

Ingredient	Bioaccumulation
water	LOW (LogKOW = -1.38)

## Mobility in soil

Ingredient	Mobility
water	LOW (KOC = 14.3)

## **SECTION 13 DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Product / Packaging disposal	► Generally not applicable.

## **SECTION 14 TRANSPORT INFORMATION**

## **Labels Required**

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

## **SECTION 15 REGULATORY INFORMATION**

Safety, health and environmental regulations / legislation specific for the substance or mixture

## WATER IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

IMO IBC Code Chapter 18: List of products to which the Code does not apply

#### **National Inventory Status**

National Inventory	Status
Australia - AICS	Yes
Canada - DSL	Yes

Chemwatch: 52-9348 Page 6 of 6

Version No: 3.1.1.1

#### Vintessential YAN Calibration Standards for Discrete Autoanalysers, PAAN Standard 3

Issue Date: 01/23/2018 Print Date: 10/23/2019

Canada - NDSL	No (water)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	Yes	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	Yes	
Taiwan - TCSI	Yes	
Mexico - INSQ	Yes	
Vietnam - NCI	Yes	
Russia - ARIPS	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)	

## **SECTION 16 OTHER INFORMATION**

Revision Date	01/23/2018
Initial Date	Not Available

#### **SDS Version Summary**

Version	Issue Date	Sections Updated
3.1.1.1	01/23/2018	CAS Number

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

## Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit,

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.