





Bentotest Reagent

Winechek

Chemwatch: 4642-80 Version No: 6.1

Safety Data Sheet according to Work Health and Safety Regulations (Hazardous Chemicals) 2023 and ADG requirements

Chemwatch Hazard Alert Code: 3

Issue Date: **03/10/2023**Print Date: **05/07/2024**L.GHS.AUS.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

| Product Identifier | | |
|---|---|--|
| Product name | Bentotest Reagent | |
| Chemical Name | Not Applicable | |
| Synonyms | Not Available | |
| Chemical formula | Not Applicable | |
| Other means of identification | Not Available | |
| Relevant identified uses of the substance or mixture and uses advised against | | |
| Relevant identified uses | General laboratory reagent. Detecting unstable protein in wine. | |

Details of the manufacturer or supplier of the safety data sheet

| Registered company name | Winechek | |
|-------------------------|---|--|
| Address | Kalimna Road, Nuriootpa SA 5355 Australia | |
| Telephone | +61 8 8360 2200 | |
| Fax | Not Available | |
| Website | Not Available | |
| Email | support@winechek.com | |

Emergency telephone number

| Association / Organisation | Poisons Information Centre |
|-----------------------------------|----------------------------|
| Emergency telephone numbers | 13 11 26 |
| Other emergency telephone numbers | Not Available |

SECTION 2 Hazards identification

Classification of the substance or mixture

| Poisons Schedule | Not Applicable | |
|---|---|--|
| Classification [1] Skin Corrosion/Irritation Category 1A, Serious Eye Damage/Eye Irritation Category 1, Carcinogenicity Category 1A | | |
| Legend: | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI | |

Label elements

Hazard pictogram(s)





Signal word

Dange

Hazard statement(s)

| H314 | Causes severe skin burns and eye damage. |
|------|--|
| H350 | May cause cancer. |

Precautionary statement(s) Prevention

| P201 | Obtain special instructions before use. | |
|------|---|--|
| P260 | Do not breathe mist/vapours/spray. | |
| P264 | Wash all exposed external body areas thoroughly after handling. | |
| P280 | P280 Wear protective gloves, protective clothing, eye protection and face protection. | |

Chemwatch: 4642-80 Version No: 6.1

Page 2 of 9 **Bentotest Reagent**

Issue Date: 03/10/2023 Print Date: 05/07/2024

Precautionary statement(s) Response

| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. | |
|----------------|--|--|
| P303+P361+P353 | ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. | |
| P305+P351+P338 | EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| P308+P313 | exposed or concerned: Get medical advice/ attention. | |
| P310 | Immediately call a POISON CENTER/doctor/physician/first aider. | |
| P363 | Wash contaminated clothing before reuse. | |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. | |

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|---------------|---|--------------------------|
| 7664-93-9 | 0-2 | sulfuric acid |
| 11104-88-4 | 0-1 | phosphomolybdic acid |
| Not Available | 0-1 | ingredients nonhazardous |
| 7732-18-5 | >60 | <u>water</u> |
| Legend: | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available | |

SECTION 4 First aid measures

Description of first aid measures

| Eye Contact | If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

- ▶ foam
- dry chemical powder.
- carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility Avoid contamination with strong oxidising agents as ignition may result

Advice for firefighters

Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves in the event of a fire.
 Prevent, by any means available, spillage from entering drains or water courses.
- ▶ Use fire fighting procedures suitable for surrounding area.

Chemwatch: 4642-80 Page 3 of 9 Issue Date: 03/10/2023 Version No: 6.1 Print Date: 05/07/2024

Bentotest Reagent

| | DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. |
|-----------------------|--|
| Fire/Explosion Hazard | Non combustible. Not considered to be a significant fire risk. Expansion or decomposition on heating may lead to violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO). May emit acrid smoke. Decomposition may produce toxic fumes of: carbon dioxide (CO2) phosphorus oxides (POx) sulfur oxides (SOx) other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes. |
| HAZCHEM | Not Applicable |

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| methods and material for containment and occarring up | |
|---|--|
| Minor Spills | Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal. |
| Major Spills | Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Neutralise/decontaminate residue (see Section 13 for specific agent). Collect solid residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains. After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using. If contamination of drains or waterways occurs, advise emergency services. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

| Precautions for safe handling | |
|-------------------------------|--|
| Safe handling | Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with moisture. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained. DO NOT allow clothing wet with material to stay in contact with skin |
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. |

Conditions for safe storage, including any incompatibilities

| Suitable container | Glass container is suitable for laboratory quantities |
|-------------------------|--|
| Storage incompatibility | Segregate from alkalies, oxidising agents and chemicals readily decomposed by acids, i.e. cyanides, sulbfides, carbonates. |

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Chemwatch: 4642-80 Version No: 6.1

Page 4 of 9 Bentotest Reagent

Issue Date: **03/10/2023**Print Date: **05/07/2024**

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|------------------------------|----------------------|---------------------------------------|---------|---------------|---------------|---------------|
| Australia Exposure Standards | sulfuric acid | Sulphuric acid | 1 mg/m3 | 3 mg/m3 | Not Available | Not Available |
| Australia Exposure Standards | phosphomolybdic acid | Molybdenum, soluble compounds (as Mo) | 5 mg/m3 | Not Available | Not Available | Not Available |

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | TEEL-3 |
|----------------------|---------------|---------------|---------------|
| sulfuric acid | Not Available | Not Available | Not Available |
| phosphomolybdic acid | 2.5 mg/m3 | 27 mg/m3 | 160 mg/m3 |
| phosphomolybdic acid | 2.4 mg/m3 | 26 mg/m3 | 160 mg/m3 |
| phosphomolybdic acid | 2.4 mg/m3 | 27 mg/m3 | 160 mg/m3 |

| Ingredient | Original IDLH | Revised IDLH |
|----------------------|---------------|---------------|
| sulfuric acid | 15 mg/m3 | Not Available |
| phosphomolybdic acid | 1,000 mg/m3 | Not Available |
| water | Not Available | Not Available |

MATERIAL DATA

Exposure controls

None required when handling small quantities.

OTHERWISE:

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

Appropriate engineering controls

| Type of Contaminant: | Air Speed: |
|---|----------------------------------|
| solvent, vapours, degreasing etc., evaporating from tank (in still air). | 0.25-0.5 m/s (50- 100 f/min) |
| aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation) | 0.5-1 m/s (100- 200 f/min.) |
| direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion) | 1-2.5 m/s (200- 500 f/min.) |
| grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion). | 2.5-10 m/s (500- 2000 f/min.) |

Within each range the appropriate value depends on:

| Lower end of the range | Upper end of the range |
|--|----------------------------------|
| 1: Room air currents minimal or favourable to capture | 1: Disturbing room air currents |
| 2: Contaminants of low toxicity or of nuisance value only. | 2: Contaminants of high toxicity |
| 3: Intermittent, low production. | 3: High production, heavy use |
| 4: Large hood or large air mass in motion | 4: Small hood-local control only |

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

Individual protection measures, such as personal protective equipment









Eye and face protection

- Safety glasses with side shields.
- Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

Skin protection See Hand protection below

Hands/feet protection

- ► Wear chemical protective gloves, e.g. PVC.
- ▶ Wear safety footwear or safety gumboots, e.g. Rubber

Body protection

See Other protection below • Overalls.

Other protection

- P.V.C apron.
- Barrier cream.Skin cleansing cream.
- Eye wash unit.

Chemwatch: 4642-80 Version No: 6.1

Bentotest Reagent

Issue Date: **03/10/2023**Print Date: **05/07/2024**

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Bentotest Reagent

| Material | СРІ |
|------------------|-----|
| NEOPRENE | A |
| BUTYL | С |
| NATURAL RUBBER | С |
| NATURAL+NEOPRENE | С |
| NEOPRENE/NATURAL | С |
| NITRILE | С |
| PE | С |
| PVA | С |
| PVC | С |
| SARANEX-23 | С |
| VITON | С |

^{*} CPI - Chemwatch Performance Index

A: Best Selection

- B: Satisfactory; may degrade after 4 hours continuous immersion
- C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation.
* Where the glove is to be used on a short term, casual or infrequent basis, factors

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Respiratory protection

Type E-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

| Required Minimum Protection Factor | Half-Face Respirator | Full-Face Respirator | Powered Air Respirator |
|---------------------------------------|-------------------------|-------------------------|----------------------------|
| up to 10 x ES | E-AUS P2 | - | E-PAPR-AUS / Class 1 P2 |
| up to 50 x ES | - | E-AUS / Class 1 P2 | - |
| up to 100 x ES | - | E-2 P2 | E-PAPR-2 P2 ^ |

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

| | p p | | |
|--|---|---|----------------|
| Appearance | Clear, pale yellow acidic liquid; mixes with water. | | |
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | <1 | Decomposition temperature (°C) | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |
| | | | |

SECTION 10 Stability and reactivity

| Reactivity | See section 7 |
|------------------------------------|--|
| Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 Toxicological information

Version No: 6.1

Bentotest Reagent

Issue Date: 03/10/2023 Print Date: 05/07/2024

Information on toxicological effects

| normation on toxicological e | iecis | | | |
|--|--|--|--|--|
| Inhaled | Not normally a hazard due to non-volatile nature of product | | | |
| Ingestion | Considered an unlikely route of entry in commercial/industrial environments Ingestion may result in nausea, abdominal irritation, pain and vomiting | | | |
| Skin Contact | The material may accentuate any pre-existing dermatitis condition The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis. Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. | | | |
| Еуе | The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. | | | |
| Chronic | Repeated or long-term occupational exposure is likely to produce cumu. Occupational exposure to strong inorganic acid mists containing sulfuri laryngeal cancer being seen with chronic exposures. Repeated minor eupper respiratory tract leading to chronic bronchitis. Repeated skin con acid plant workers appear to be less affected than the lungs of workers occurs at 1 mg/m3 but that acclimated workers could tolerate three to fexposed to 3 to 16 mg/m3 sulfuric acid mist concentrations exhibited the exposed to 0.08 to 2.5 mg/m3 were affected to a lesser degree. Worke lesions, tracheobronchitis, stomatitis, conjunctivitis and gastritis. | c acid is designate exposures to mists tact with dilute so exposed to "dust our times that leve the most serious sign | ed by IARC to be carcinogenic, increased risk of s can cause erosion of teeth and inflammation of the lutions may produce dermatitis. Lungs of sulfuric.". There is evidence that corrosion of tooth enamel el. Forming room workers in a battery factory gns of erosion whilst charging room workers, | |
| | TOVICITY | IDDITATION | | |
| Bentotest Reagent | TOXICITY Not Available | Not Available | | |
| | тохісіту | IRRITATION | | |
| sulfuric acid | Inhalation(Mouse) LC50; 0.85 mg/l4h ^[1] | Eye (rabbit): 1.3 | 88 mg SEVERE | |
| | Oral (Rat) LD50: 2140 mg/kg ^[2] | | | |
| nhoenhomolyhdic acid | тохісіту | IRRITATION | | |
| phosphomolybdic acid | Not Available | Not Available | | |
| | тохісіту | IRRITATION | | |
| water | Oral (Rat) LD50: >90000 mg/kg ^[2] | Not Available | | |
| Legend: | Nalue obtained from Europe ECHA Registered Substances - Acute to specified data extracted from RTECS - Register of Toxic Effect of chem. | | otained from manufacturer's SDS. Unless otherwise | |
| SULFURIC ACID | Occupational exposures to strong inorganic acid mists of sulfuric acid: | | | |
| | WARNING. For initial action exposure ONLI. This substance has been c | lassified by the IA | RC as Group 1: CARCINOGENIC TO HUMANS | |
| SULFURIC ACID & PHOSPHOMOLYBDIC ACID | Asthma-like symptoms may continue for months or even years after ex condition known as reactive airways dysfunction syndrome (RADS) wh compound. Main criteria for diagnosing RADS include the absence of pof persistent asthma-like symptoms within minutes to hours of a docum include a reversible airflow pattern on lung function tests, moderate to and the lack of minimal lymphocytic inflammation, without eosinophilia. disorder with rates related to the concentration of and duration of exposis a disorder that occurs as a result of exposure due to high concentrat reversible after exposure ceases. The disorder is characterized by diffic | posure to the mat ich can occur afte orevious airways d iented exposure the severe bronchial h RADS (or asthma sure to the irritatin ions of irritating su | erial ends. This may be due to a non-allergic r exposure to high levels of highly irritating lisease in a non-atopic individual, with sudden onse of the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent g substance. On the other hand, industrial bronchitiustance (often particles) and is completely | |
| | Asthma-like symptoms may continue for months or even years after ex condition known as reactive airways dysfunction syndrome (RADS) wh compound. Main criteria for diagnosing RADS include the absence of p of persistent asthma-like symptoms within minutes to hours of a docum include a reversible airflow pattern on lung function tests, moderate to s and the lack of minimal lymphocytic inflammation, without eosinophilia. disorder with rates related to the concentration of and duration of expositions and disorder that occurs as a result of exposure due to high concentration. | posure to the mat ich can occur afte orevious airways d iented exposure the severe bronchial h RADS (or asthma sure to the irritatin ions of irritating su | erial ends. This may be due to a non-allergic r exposure to high levels of highly irritating lisease in a non-atopic individual, with sudden onse of the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent g substance. On the other hand, industrial bronchitiubstance (often particles) and is completely | |
| PHOSPHOMOLYBDIC ACID PHOSPHOMOLYBDIC ACID & | Asthma-like symptoms may continue for months or even years after ex condition known as reactive airways dysfunction syndrome (RADS) wh compound. Main criteria for diagnosing RADS include the absence of p of persistent asthma-like symptoms within minutes to hours of a docum include a reversible airflow pattern on lung function tests, moderate to and the lack of minimal lymphocytic inflammation, without eosinophilia. disorder with rates related to the concentration of and duration of exposis a disorder that occurs as a result of exposure due to high concentrat reversible after exposure ceases. The disorder is characterized by difficuration of the concentration of the concent | posure to the mat ich can occur afte orevious airways d iented exposure the severe bronchial h RADS (or asthma sure to the irritatin ions of irritating su | erial ends. This may be due to a non-allergic r exposure to high levels of highly irritating lisease in a non-atopic individual, with sudden onse of the irritant. Other criteria for diagnosis of RADS hyperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent g substance. On the other hand, industrial bronchitiustance (often particles) and is completely | |
| PHOSPHOMOLYBDIC ACID & WATER | Asthma-like symptoms may continue for months or even years after ex condition known as reactive airways dysfunction syndrome (RADS) wh compound. Main criteria for diagnosing RADS include the absence of p of persistent asthma-like symptoms within minutes to hours of a docum include a reversible airflow pattern on lung function tests, moderate to s and the lack of minimal lymphocytic inflammation, without eosinophilia. disorder with rates related to the concentration of and duration of exposi is a disorder that occurs as a result of exposure due to high concentrat reversible after exposure ceases. The disorder is characterized by difficent to the concentration of the concentration of exposure due to high conc | posure to the mat ich can occur afte revious airways d ented exposure to severe bronchial had RADS (or asthma sure to the irritatin ions of irritating su culty breathing, co | erial ends. This may be due to a non-allergic r exposure to high levels of highly irritating lisease in a non-atopic individual, with sudden onse o the irritant. Other criteria for diagnosis of RADS syperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent g substance. On the other hand, industrial bronchit ubstance (often particles) and is completely sugh and mucus production. | |
| PHOSPHOMOLYBDIC ACID & WATER Acute Toxicity | Asthma-like symptoms may continue for months or even years after ex condition known as reactive airways dysfunction syndrome (RADS) wh compound. Main criteria for diagnosing RADS include the absence of possistent asthma-like symptoms within minutes to hours of a docum include a reversible airflow pattern on lung function tests, moderate to and the lack of minimal lymphocytic inflammation, without eosinophilia. disorder with rates related to the concentration of and duration of exposis a disorder that occurs as a result of exposure due to high concentrate reversible after exposure ceases. The disorder is characterized by difficient acute toxicological data identified in literature search. | posure to the mat ich can occur afte orevious airways d iented exposure to severe bronchial h RADS (or asthma sure to the irritatin ions of irritating su culty breathing, co | erial ends. This may be due to a non-allergic r exposure to high levels of highly irritating lisease in a non-atopic individual, with sudden onse o the irritant. Other criteria for diagnosis of RADS syperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent g substance. On the other hand, industrial bronchitustance (often particles) and is completely sugh and mucus production. | |
| PHOSPHOMOLYBDIC ACID & WATER Acute Toxicity Skin Irritation/Corrosion Serious Eye | Asthma-like symptoms may continue for months or even years after ex condition known as reactive airways dysfunction syndrome (RADS) wh compound. Main criteria for diagnosing RADS include the absence of p of persistent asthma-like symptoms within minutes to hours of a docum include a reversible airflow pattern on lung function tests, moderate to and the lack of minimal lymphocytic inflammation, without eosinophilia. disorder with rates related to the concentration of and duration of exposis a disorder that occurs as a result of exposure due to high concentrate reversible after exposure ceases. The disorder is characterized by difficiant acute toxicological data identified in literature search. | posure to the matich can occur after orevious airways of elented exposure to severe bronchial random control of the control of | erial ends. This may be due to a non-allergic r exposure to high levels of highly irritating lisease in a non-atopic individual, with sudden onse of the irritant. Other criteria for diagnosis of RADS syperreactivity on methacholine challenge testing, a) following an irritating inhalation is an infrequent g substance. On the other hand, industrial bronchiti abstance (often particles) and is completely bugh and mucus production. | |

SECTION 12 Ecological information

Toxicity

| | Endpoint | Test Duration (hr) | Species | Value | Source |
|-------------------|------------------|------------------------|-------------------------------|------------------|------------------|
| Bentotest Reagent | Not Available | Not Available | Not Available | Not Available | Not Available |
| sulfuric acid | For descript | Total Describes (Inc.) | 0 | Malus | 0 |
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| | ErC50 | 72h | Algae or other aquatic plants | >100mg/l | 2 |
| | NOEC(ECx) | 1560h | Fish | 0.025mg/l | 2 |

Chemwatch: 4642-80 Page 7 of 9

Bentotest Reagent

Issue Date: **03/10/2023**Print Date: **05/07/2024**

| | EC50 | 72h | Algae or other aquatic plants | >100mg/l | 2 |
|----------------------|--|--------------------|-------------------------------|------------------|------------------|
| | EC50 | 48h | Crustacea | 42.5mg/l | 1 |
| | LC50 | 96h | Fish | 8mg/l | 1 |
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| phosphomolybdic acid | Not Available | Not Available | Not Available | Not Available | Not Available |
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| water | Not Available | Not Available | Not Available | Not Available | Not Available |
| Legend: | Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US El Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data | | | | |

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|-------------------------|------------------|
| water | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation | |
|------------|---------------------------------------|--|
| | No Data available for all ingredients | |

Mobility in soil

Version No: 6.1

| Ingredient | Mobility | |
|------------|---------------------------------------|--|
| | No Data available for all ingredients | |

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

- ▶ Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- ▶ Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.
- Containers may still present a chemical hazard/ danger when empty.
- Return to supplier for reuse/ recycling if possible.

Otherwise

- If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
- Where possible retain label warnings and SDS and observe all notices pertaining to the product.

SECTION 14 Transport information

Labels Required

| Marine Pollutant | NO |
|------------------|----------------|
| HAZCHEM | Not Applicable |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|----------------------|---------------|
| sulfuric acid | Not Available |
| phosphomolybdic acid | Not Available |
| water | Not Available |

14.7.3. Transport in bulk in accordance with the IGC Code

| Product name | Ship Type |
|----------------------|---------------|
| sulfuric acid | Not Available |
| phosphomolybdic acid | Not Available |
| water | Not Available |

SECTION 15 Regulatory information

Bentotest Reagent

Page 8 of 9 Issue Date: 03/10/2023 Version No: 6.1 Print Date: 05/07/2024

Safety, health and environmental regulations / legislation specific for the substance or mixture

sulfuric acid is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans

phosphomolybdic acid is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

Additional Regulatory Information

Not Applicable

National Inventory Status

| National Inventory | Status | |
|---|--|--|
| Australia - AIIC / Australia Non- Industrial Use | Yes | |
| Canada - DSL | Yes | |
| Canada - NDSL | No (sulfuric acid; phosphomolybdic acid; water) | |
| China - IECSC | Yes | |
| Europe - EINEC / ELINCS / NLP | Yes | |
| Japan - ENCS | Yes | |
| Korea - KECI | Yes | |
| New Zealand - NZIoC | Yes | |
| Philippines - PICCS | Yes | |
| USA - TSCA | Yes | |
| Taiwan - TCSI | Yes | |
| Mexico - INSQ | No (phosphomolybdic acid) | |
| Vietnam - NCI | Yes | |
| Russia - FBEPH | No (phosphomolybdic acid) | |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. | |

SECTION 16 Other information

| Revision Date | 03/10/2023 |
|---------------|------------|
| Initial Date | 08/17/2005 |

SDS Version Summary

| Version | Date of Update | Sections Updated |
|---------|----------------|---|
| 5.1 | 12/23/2022 | Classification review due to GHS Revision change. |
| 6.1 | 03/10/2023 | Classification change due to full database hazard calculation/update. |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration

Issue Date: 03/10/2023 Chemwatch: 4642-80 Page 9 of 9 Version No: 6.1 Print Date: 05/07/2024

Bentotest Reagent

- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
 ELINCS: European List of Notified Chemical Substances
 NLP: No-Longer Polymers

- ▶ ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ► PICCS: Philippine Inventory of Chemicals and Chemical Substances
 ► TSCA: Toxic Substances Control Act
- ► TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.